

Dashcam User Manual

FW41T




Main functions as follows,

- The maximum resolution of the shot supports 2560*1440P
- Support WIFI mobile phone interconnection function
- Built-in G-SENSOR collision video locking function
- Main unit IP65 waterproof, circuit IP67 waterproof
- Up to 128GB TF card is supported

Installation Guide

Method 1: Connect the bulk line before installation, please use the USB power cable included in the package to connect the host and 5V power supply. After the test recorder is normal, install it! Please connect all accessories first, and then power on!



Set the multimeter to the DC voltage position, connect the black test lead to the negative pole of the battery, and the red test lead to the test line.

2. When the ACC position is OFF, there should be no output and no display on the multimeter; when the ACC position is ON, the multimeter should display 12V voltage, and the ACC power line has been found.

3. If the ACC line has not been found, please use the red test lead to repeatedly change the test line (the black test lead remains connected to the negative pole) until the ACC power line is found.

Memory card slot:

1. The external memory card slot waterproof cover, use a screwdriver to open it and insert or replace the memory card. After the card is inserted, the memory card cover must be closed and tightened with a screwdriver, otherwise it will cause water ingress and void the warranty.
2. You must use a Micro SD Card (TF card) memory card with C10 read and write speed specifications. Please choose a well-known brand memory card. When the memory card is of poor quality, it will cause video files to be damaged and lost, and files cannot be stored.
3. When using the memory card for the first time, please format it in the APP or on the computer. After long-term use of the memory card, a large number of fragmented documents will be generated. Please format and clean the memory card regularly.

Use and Maintenance:

1. This product is only waterproof in ordinary rain, not waterproof.
2. This product is not waterproof with high-pressure water guns. Do not use high-pressure water guns to wash the recorder and accessories to avoid water ingress.
3. Do not use corrosive solvents such as alcohol and stain remover to wipe the lens and appearance, which will damage the appearance of the lens and the waterproofness of the shell.


LED Indicator Description:

1. Power on, no memory card, 2 LED lights flash red and green alternately
2. Power on, with memory card:
 - A. Start recording, 2 red LED lights stay on at the same time
 - B. Pause recording, 2 red LED lights flash at the same time

Special reminder: After power failure, the two LED lights will turn off in about 6-10 seconds. This is the discharge state of the built-in capacitor, which is a normal phenomenon.

APP download

1.For the first time, please use your mobile phone to scan the following QR code to download the APP.Left is for iOS user and right is for Android user



Viidure app QR

2.Note: iOS user search "Viidure " on Apple Store and Android user can search "Viidure" on Google.

3.After starting the car and turning on the recorder, find the Wi-Fi starting with "Dashcam_WIFI_*****" in the Settings of the mobile phone, and enter the default password **12345678** to connect.

4.After the connection is completed, enter the APP, and the time of the recorder will synchronize with the time of the current phone. In addition, the TF card needs to be formatted on the APP.

Operation Instructions



App Interface



Camera Interface



Camera Settings

Recorder parameter

Waterproof	Main unit IP65 waterproof, circuit IP67 waterproof
Memory expansion	8-128G expansion
WiFi mobile connection	WiFi 2.4G&Mobile APP
Compression format	H.264
Video Format	MP4
built-in battery	Only Farad capacitors, no lithium battery
Power input	Buck line 12-24 to 5V or USB power 5V direct connection
Bracket Configuration	3 optional items,namely crossbar bracket,rear view mirror base bracket,adhesive bracket
High and low temperature resistance	25°C to 55°C
Packing size	180*140*65mm

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Statement



To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

The instructions are subject to change with further notice.

Disclaimer: The video recording can be used as an auxiliary basis for judging traffic accidents, but it is not the only basis. For the loss of traffic accidents, the company does not assume any responsibility, please obey the traffic rules.